



NO MESS, NO HASSLE

Say goodbye to annoying stringy, legging adhesive as well as adhesive transfer

to vinyl.

FORGIVING ADHESIVE

If the adhesive side accidentally folds onto itself, the tapes pull apart easily with no

adhesive transfer.

"QUICK STICK" & TRUE-TACK
LIFTING PERFORMANCE

A variety of tack levels are available to lift and transfer any size graphic, even when

transferring tricky graphics.

IMPROVED WET APPLICATION

Improved wet method performance holds up longer. The high-tack adhesive stays

on the tape, not on your vinyl, eliminating time-consuming cleanup.

Thanks to RTape's release coating treatment, ApliTape® unwinds effortlessly all the

way to the core, putting an end to exhausting application tape struggles.

PREVENTION OF ADHESION BUILD-UP

The adhesive system is formulated to prevent build-up of adhesion to vinyl graphics,

even if stored for prolonged periods of time.

FACTORY CUT ROLLS

RTape rolls are slit one layer at a time and rewound into individual rolls. No bacon (aka Baloney) slicing that can cause nicked edges or glue balls resulting in inopportune

tearing.

Standard paper	Premium paper	Tack Level	Description
4050	N/A	Medium tack	Excellent for medium and large computer-cut and die-cut graphics. A good choice for fleet identifications. Perfect for wet applications.
4075	N/A	High tack all purpose	The most popular choice for most sign shop applications. Excellent for small and large size computer-cut letters. Perfect for wet applications.
N/A	4885	Super high tack	Heavyweight paper tape with a super high tack natural latex adhesive for very difficult-to-lift graphics. Widely used as a problem solver.
N/A	4985	Ultra high tack	Heavyweight paper tape with an ultra high tack adhesive used as a problem solver.

Why premium paper?

Premium or heavyweight paper is about 25 microns thicker than standard weight paper, which gives multiple advantages when applying your graphic:

- It makes graphics easier to handle and therefore easier to apply.
- The results are smoother because there are fewer wrinkles and bubbles.
- Less likely to tear when applied in the wind.
- When the job is done, the tape removes in one piece.
- Holds up better with wet application than standard weight paper.

Order now:





RTape Conform® gives you all the ApliTape® advantages and more.

SUPERIOR LAY FLATNESS & EASY UNWINDING

Conform® its Release Liner Adhesion (RLA®) ensures continuous lay flatness, for wrinkle-free applications and neat & clean graphics. Moreover, it allows improved release and unwinding.

TROUBLE-FREE STORAGE & TRANSPORT

The latex-based adhesive does not increase adhesion to the vinyl over time, for prolonged storage. Stacked graphics will not "dog-ear" nor stick together and rolled graphics will not tunnel.

EXCELLENT ADHESION TO UV INKS AND CLEAR COATS Conform® application tapes can be used as a protection and transfer tape for UV prints and clear coated printed graphics.

Standard paper	Premium paper	Tack Level	Description
4000RLA	4700RLA	Low tack	Protection for large digital graphics and ideal for stencil films. Perfect for the protection of metals and plastics and one-piece large decals over one meter.
4050RLA	4750 RLA	Medium tack	Ideal for medium and large computer cut and die-cut graphics. A good choice for fleet identification. Perfect for wet applications.
4075RLA	4775RLA	High tack all purpose	The most popular choice for most sign shop applications. A great choice for small and large sized computer-cut letters. Perfect for wet applications.
4076RLA	4776RLA	Extra high tack	Perfect for hard to lift vinyls, small and medium size letters, specialty vinyls and thermal die cuts.
N/A	4760RLA	Medium/ high tack	Perfect choice for medium sized decals, striping and die-cut graphics. Adheres to rough textures of halftone prints and the slick decal surfaces of UV inks and clear coats.
N/A	4761RLA	Medium/ high tack	Superior choice for air-egress liners thanks to its specially formulated adhesive system.



Are you with us?

Natural choice

plastic application tape shows that, for most of the Global Warming Potential for paper application tape was

Conform® with RLA®

Release Liner Adhesion (RLA®) technology guarantees trouble free storage and transport, free from tunnels, wrinkles or edge curl.

RCLEAR CHOICE | PLASTIC APPLICATION TAPE

PRECISE APPLICATION

The exceptionally clear film enhances precise application of multiple-colour

graphics.

PERFECTY ALIGNED **GRAPHICS**

To prevent misalignment of graphics, Clear Choice® features a rigid

polypropylene film that greatly minimizes stretching.

IMPROVED WET **APPLICATION**

Improved wet method performance holds up longer. The high-tack adhesive stays on the tape, not on your vinyl, eliminating time-consuming cleanup.

AT75.1 gives you all the previous advantages and more.

ENHANCED ADHESIVE

The enhanced adhesive leaves no residue with wet applications and no water whitening upon contact with water/solution.

IMPROVED RELEASE LINER **ADHESION**

AT75.1 has Conform® characteristics and lays flat to liners for wrinkle-free applications.

Product	Tack Level	Description
AT60n	Medium tack	Clear PP application film. Perfect choice for medium and large cut graphics and for multi-color overlays and aligned graphics.
AT65	High tack	Clear PP application film. Especially well-suited for transferring small & detailed cut graphics. Works well with vinyl films that have tight release liners. Most popular choice for most sign shop applications. Perfect for wet applications.
AT75.1	High tack	Embossed Clear PE application film. Excellent for small to medium size cut letters. Ideal for difficult to transfer films. Especially improved to lift and transfer graphics. Perfect for wet applications.









RAPLITAPE® RCONFORM® RCLEAR CHOICE®

	4050				4075		4885 4985
4000RLA 4700RLA	4050RLA 4750RLA		4760RLA	4761RLA	4075RLA 4775RLA	4076RLA 4776RLA	
	AT60n	AT65	AT75.1				

CLEAR CHOICE		Al 60n	A165	AI /5.1					
Tack level	Low tack Ultra high tack								
ransfer of (printed) graphics									
Small CAD-CUT signs (<10 cm)			•	•		A	•		
Medium CAD-CUT signs (10 - 50 cm)		A	A	A		•			
Large CAD-Cut signs (> 50 cm)	A	•	•	•					
Heavy textured sign vinyl							•	A	
Latex and (eco-) solvent printed signs (digital/screen)		A	A	A		A			
UV printed signs (digital/screen)				A					
Narrow pinstriping						A	•		
Medium pinstriping		A	•	•					
Hard to lift vinyls (high release value)						•	A	•	
Banners		A				•	•		
Stencil films	A	•							
Graphics on air egress liner					A				
Wall graphics									
rotection of prints									
Printed aluminium signs	•	A							
Printed acrylic	A								
Printed polycarbonate and other plastics	•								
Digital prints (standard liner)	•								
Digital prints (embossed liner)		A							
Digital UV prints				A					

▲ First choice for high performance, quality and value

Outstanding alternative choice

Application tips & tricks

- 1. Avoid stretching the application tape when laminating it to graphic panels. When you stretch the tape, it may stretch back to its original shape causing the graphics to curl.
- 2. Always turn the graphic over, so the application tape is facing down and peel the liner from the vinyl rather than pulling the vinyl of the liner with the tape.
- 3. The best way to apply application tape is with a laminator.
- 4. Use a single sheet of application tape to cover the graphic. If you tape the graphic with two or more pieces of tape, fine lines of tiny air bubbles form wherever the tape pieces overlap.
- 5. Allow digitally printed graphics to cure properly before clear coating or overlaminating.
- 6. If a paper application tape is not releasing easily from the transferred vinyl, lightly spray the paper with application fluid, wait approximately 30 seconds and then remove it.
- 7. When removing the application tape, carefully pull the tape 180° against itself. After removing the application tape from the graphic, always resqueegee the entire graphic to prevent edge lifting.



